

INFORMATION DISCLOSURE CITATION PTO-1449	ATTORNEY'S DKT No. 0001-00001	APPLICATION No. 10/080,959
	APPLICANT(S) Patricia CRUZ-PEREZ et al.	
	FILING DATE February 22, 2002	GROUP Not Assigned

U.S. PATENT DOCUMENTS

EXAMINER'S INITIALS	PATENT NO.	DATE	NAME	CLASS	SUBCLASS	FILING DATE
EW	6,387,652	5-14-02	Haugland et al.	35	34	6-13-00

FOREIGN PATENT DOCUMENTS

EXAMINER'S INITIALS	PATENT NO.	DATE	COUNTRY	CLASS	SUBCLASS	Translation	
						Yes	No

OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.)

RECEIVED

DEC 18 2002

TECH CENTER 1600/2900

EXAMINER <i>Cynthia Wilster</i>	DATE CONSIDERED 6/11/03
------------------------------------	----------------------------

EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant(s).

INFORMATION DISCLOSURE CITATION PTO-1449	ATTORNEY'S DKT NO. 0001-00001	APPLICATION NO. Not Assigned
	APPLICANT(S) Patricia CRUZ-PEREZ et al.	
	FILING DATE February 22, 2002	GROUP Not Assigned

02/22/02
 10/08/02
 U.S. PTO

U.S. PATENT DOCUMENTS							
EXAMINER'S INITIALS	PATENT NO.	DATE	NAME	CLASS	SUBCLASS	FILING DATE	
FOREIGN PATENT DOCUMENTS							
EXAMINER'S INITIALS	PATENT NO.	DATE	COUNTRY	CLASS	SUBCLASS	Translation	
						Yes	No
OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.)							
CW			Alvarez, A.J., Buttner, M.P., Toranzos, G.A. <i>et al.</i> (1994). The use of solid-phase polymerase chain reaction for the enhanced detection of airborne microorganisms. <i>Applied and Environmental Microbiology</i> 60, 374-376.				
			Alvarez, A.J., Buttner, M.P. & Stetzenbach, L.D. (1995). PCR for bioaerosol monitoring: sensitivity and environmental interference. <i>Applied and Environmental Microbiology</i> 61, 3639-3644.				
			Sawyer, M.H., Chamberlin, C.J., Wu, Y.N., Aintablian, N., & Wallace, M.R. (1994). Detection of varicella-zoster virus DNA in air samples from hospital rooms. <i>Journal of Infectious Disease</i> 169, 91-94.				
			Haugland, R.A., Vesper, S.J. & Wymer, L.J. (1999). Quantitative measurement of <i>Stachybotrys chartarum</i> conidia using real time detection of PCR products with the TaqMan™ fluorogenic probe system. <i>Molecular and Cellular Probes</i> 13, 329-340.				
			Leenders, A.C.A.P., Van Belkum, A., Behrendt, M., Luijendijk, A. & Verbrugh, H.A. (1999). Density and molecular epidemiology of <i>Aspergillus</i> in air and relationship to outbreaks of <i>Aspergillus</i> infection. <i>Journal of Clinical Microbiology</i> 37, 1752-1757.				
			Vesper, S., Dearborn, D.G., Yike, I. <i>et al.</i> (2000). Evaluation of <i>Stachybotrys chartarum</i> in the house of an infant with pulmonary hemorrhage: quantitative assessment before, during, and after remediation. <i>Journal of Urban Health</i> 77, 68-84.				
			Heid, C.A., Stevens, J., Livak, K.J. & Williams, P.M. (1996). Real time quantitative PCR. <i>Genome Research</i> 6, 986-994.				
			Haugland, R.A. & Heckman, J.L. (1998). Identification of putative sequence specific PCR primers for detection of the toxigenic fungal species <i>Stachybotrys chartarum</i> . <i>Molecular and Cellular Probes</i> 12, 387-396.				
CW			Desjardin, L.E., Chen, Y., Perkins, M.D., Teixeira, L., Cave, M.D. & Eisenach, K.D. (1998). Comparison of the ABI 7700 system (TaqMan) and competitive PCR for quantification of IS6110 DNA in sputum during treatment of tuberculosis. <i>Journal of Clinical Microbiology</i> 36, 1964-1968.				

EXAMINER	<i>Cynthia Wilson</i>	DATE CONSIDERED	6/11/03
----------	-----------------------	-----------------	---------